Author Index Volume 10

Adamowicz SC, 450 Allen EB, 52, 376 Anderson RC, 27 Aronson J, 16

Barbero M, 16 Barendregt A, 112 Barnes T, 656 Beauchamp VB, 428 Beltman B, 112 Bidwell TG, 324 Bisson PA, 603 Bootsma MC, 112 Borde AB, 487 Bottom DL, 514 Boumans RMJ, 543 Boyd CS, 324 Brady VJ, 617 Brawley AH, 497 Brooks SS, 156 Broome S, 248 Buchsbaum R, 556 Bukenhofer GA, 714 Burdick DM, 543, 556 Burgess MA, 408 Burton TM, 617

Camargo JLC, 636 Campbell C, 248 Campeau S, 259 Cardinale BJ, 156, 617 Castro I, 297 Catena IG, 450 Chapman CA, 408 Chapman LJ, 408 Cione NK, 376 Claassen VP, 195 Cole DN, 275 Collins BD, 237 Copeland TE, 315 Cordell JR, 564 Cornu CE, 474 Cornwell TJ, 514 Craft C, 248, 731 Crooks S, 591

Cross AF, 401 Czapka SJ, 392

D'Antonio C, 703 Davy AJ, 591 de la Cretaz AL, 416 DeLuca TH, 275 Dick TM, 11 Dionne M, 543, 556 Dixon KW, 185 Dyer AR, 107

Eertman RHM, 438 Engle DM, 401, 714 Ewing K, 282, 289

Fell PE, 497 Ferraz IDK, 636 Friedrich C, 685 Fuhlendorf SD, 401 Fung M, 43

Gannon JE, 77 Garrett PB, 138 Garrity NJ, 577 Gathman JP, 617 Germaine HL, 362 Germaine SS, 362 Gibbs GW, 96 Gómez JM, 297 Gray A, 514 Grosshuesch DA, 645 Guirado J, 695 Gunn AS, 733

Hambling B, 43 Henne-Kerr JL, 645 Hey DL, 1 Hild AL, 122, 385 Hódar JA, 297 Hogan MP, 195 Hood WG, 213 Horrocks G, 627 Houseman GR, 27 Howe HF, 315 Huenneke LF, 603 Humphrey LD, 88 Hutchins E, 556

Imakawa AM, 636 Isselstein J, 173 James-Pirri M-J, 450

Kelty MJ, 416 Kernaghan G, 43 Khasa D, 43 Kirkman LK, 68, 334 Kornman BA, 438

Lee C-S, 306 Leeds JA, 138 LeFevre SR, 223 Lehmann C, 340 Leopold BD, 732 Lowenfeld RC, 37

MacNally R, 627 Masters RE, 714 McCauley RA, 348 McCormick PV, 138 McMillan PA, 52 Meney KA, 185 Meyerson LA, 703 Middleton B, 723 Miller C. 169 Mitchell RI, 68 Mitchell TW, 37 Montalvo AM, 52 Montgomery DR, 237 Morgan PA, 461 Moynahan OS, 77, 275 Mulligan MK, 68, 334 Munk LM, 122 Munn LC, 129

Neckles HA, 556 Niering WA, 497

Olson ET, 497 Olson RA, 146 Orr MK, 527, 577 Orsted AC, 497 Osunkoya OO, 11

Padgett PE, 376 Palik B, 427 Palmer MA, 156 Parkinson A, 627 Paschke MW, 171 Perryman BL, 129 Pethick J, 431 Pezeshki SR, 267 Price JS, 259 Proffitt CE, 37 Purcell AH, 685 Pye K, 591

Raposa K, 665 Raposa KB, 450 Rebele F, 340 Resh VH, 685 Rhoades C, 656 Ribblett S, 156 Richter BS, 607 Robinson GR, 306 Rochefort L, 259 Rokich DP, 185 Roman CT, 450, 556 Rozsa R, 497 Rubey J, 564 Rudd H, 368

Sadro S, 474 Salinas MJ, 695 Schaefer V, 368 Schaff SD, 267 Schuman GE, 385 Schupp EW, 88 Schutten J, 591 Sharmasarkar S, 129 Sharpe WE, 223 Sheern GD, 591 Shields FD Jr, 267 Short FT, 461 Simenstad CA, 514 Sivasithamparam K, 185

Sluis W, 315 Sluis WJ, 677 Smith REN, 173 Smith SM, 138 Sparks JC, 714 Stahl PD, 129 Stikvoort E, 438 Streever WJ, 11 Stutz JC, 607 Swamy V, 497 Swan CM, 156 Sweeney BW, 392

Tallowin JRB, 173 Tanner CD, 564 Tear LM, 564 Thom RM, 487 Travis SE, 37 Tunnell TR, 401 Twedt DJ, 645 Ungar IA, 348

Vala J, 368 Vallauri DR, 16 van den Broek T, 112 Verbeek H, 438 Vicklund LE, 385

Walker RF, 204 Warren RS, 497 Washburn B, 656 Watts CH, 96 Whitson TD, 122, 146 Williams MI, 385 Williams PB, 527, 577 Wilson RR, 645

Yerkes T, 392 You Y-H, 306 Young M, 627

Zabinski CA, 77, 275 Zamora R, 297 Zanne A, 408 Zeigler R, 487 Zhang H, 401

Subject Index Volume 10

Acid

Acid stream water remediation using limestone sand on Bear Run in southwestern Pennsylvania (LeFevre and Sharpe), 223

Agricultural fields

Avian response to bottomland hardwood reforestation: the first 10 years (Twedt et al), 645

Mycorrhizal inoculation of big sacaton: implications for grassland restoration of abandoned agricultural fields (Richter and Stutz), 607

Secondary succession and natural habitat restoration in abandoned rice fields of central Korea (Lee et al), 306

Allometry

Application of landscape allometry to restoration of tidal channels (Hood), 213

Amazon

Rehabilitation of degraded areas of central Amazonia using direct sowing of forest tree seeds (Camargo et al), 636

Aristida beyrichiana

Aristida beyrichiana (wiregrass) establishment and recruitment: implications for restoration (Mulligan et al), 68

Burning influences on wiregrass (*Aristida beyrichiana*) restoration plantings: natural seedling recruitment and survival (Mulligan and Kirkman), 334

Artemisia tridentata

Restoring structure in late-successional sagebrush communities by thinning with tebuthiuron (Olson and Whitson), 146

Wyoming big sagebrush density: effects of seeding rates and grass competition (Williams et al), 385

Australia

Current loads of coarse woody debris on southeastern Australian floodplains: evaluation of change and implications for restoration (MacNally et al), 627

Decomposition of *Sarcocornia quin-queflora* on an iron-smelting slag substrate (Dick et al), 11

Smoke, mulch, and seed broadcasting effects on woodland restoration in Western Australia (Rokich et al), 185

Austrian black pine

An analysis of forest restoration 120 years after reforestation on badlands in the southwestern Alps (Vallauri et al), 16

Backyards

Importance of backyard habitat in a comprehensive biodiversity conservation strategy: a connectivity analysis of urban green spaces (Rudd et al), 368

Banksia

Smoke, mulch, and seed broadcasting effects on woodland restoration in Western Australia (Rokich et al), 185

Barrens

Effects of jack pine plantation management on barrens flora and potential Kirtland's warbler nest habitat (Houseman and Anderson), 27

Prescribed fire and herbicide effects on soil processes during barrens restoration (Rhoades et al), 656

Basin

Use of shallow basins to restore cutover peatlands: hydrology (Price et al), 259

Beetles

Revegetation and its effect on the ground-dwelling beetle fauna of Matiu-Somes Island, New Zealand (Watts and Gibbs), 96

Big sacator

Mycorrhizal inoculation of big sacaton: implications for grassland restoration of abandoned agricultural fields (Richter and Stutz), 607

Birds

Avian response to bottomland hardwood reforestation: the first 10 years (Twedt et al), 645

Effects of jack pine plantation management on barrens flora and potential Kirtland's warbler nest habitat (Houseman and Anderson), 27

Forest restoration treatment effects on the nesting success of Western Bluebirds (*Sialia mexicana*) (Germaine and Germaine), 362

Black willow

Effects of pre-planting soaking on growth and survival of black willow cuttings (Schaff et al), 267

Book reviews

Approaches to Coastal Wetland Restoration: Northern Gulf of Mexico, by Turner and Streever (Craft), 731

Ecological Assembly Rules: Perspectives, Advances, Retreats, edited by Weiher and Keddy (Beauchamp), 428

Environmental Restoration[m]Ethics, Theory, and Practice, edited by Throop (Gunn), 733 Reference

The Historical Ecology Handbook: A Restorationist's Guide to Ecosystems, edited by Egan and Howell (Palik), 427

Invasive Species in a Changing World, edited by Mooney and Hobbs (Huenneke), 603

Large Mammal Restoration: Ecological and Sociological Challenges in the 21st Century, edited by Maehr et al (Leopold), 732

Restoring Nature: Perspectives from the Social Sciences and Humanities, edited by Gobster and Hull (Miller), 169

Roadside Use of Native Plants, edited by Harper-Lore and Wilson (Paschke), 171

Salmon Without Rivers: A History of the Pacific Salmon Crisis, by Lichatowich (Bisson), 603

Bottomlands

Avian response to bottomland hardwood reforestation: the first 10 years (Twedt et al), 645

Brazil

Rehabilitation of degraded areas of central Amazonia using direct sowing of forest tree seeds (Camargo et al), 636

Bunchgrass

Burning and grazing management in a California grassland: effect on bunchgrass seed viability (Dyer), 107

Burning; see Fire

California

An assessment of a small urban stream restoration project in northern California (Purcell et al), 685

Burning and grazing management in a California grassland: effect on bunchgrass seed viability (Dyer), 107

Hydraulic geometry: a geomorphic design tool for tidal marsh channel evolution in wetland restoration projects (Williams et al), 577

Physical evolution of restored breached levee salt marshes in the San Francisco Bay estuary (Williams and Orr), 527

Restoration of a native shrubland impacted by exotic grasses, frequent fire, and nitrogen deposition in southern California (Cione et al), 376

Soil nitrogen pools associated with revegetation of disturbed sites in the Lake Tahoe area (Claassen and Hogan), 195

Camping

Restoration of highly impacted subalpine campsites in the Eagle Cap Wilderness, Oregon (Zabinski et al), 275

Carbon

Effects of grazing on restoration of southern mixed prairie soils (Fuhlendorf et al), 401

Microbial community structure and carbon-utilization diversity in a mine tailings revegetation study (Moynahan et al), 77

Prescribed fire and herbicide effects on soil processes during barrens restoration (Rhoades et al), 656

Carex pensylvanica

Effects of jack pine plantation management on barrens flora and potential Kirtland's warbler nest habitat (Houseman and Anderson), 27

Cirsium arvense

Rosette recruitment of a rare endemic forb (*Gaura neomexicana* subsp. *coloradensis*) with canopy removal of associated species (Munk et al), 122

Coarse woody debris; see Trees Coleoptera

Revegetation and its effect on the ground-dwelling beetle fauna of Matiu-Somes Island, New Zealand (Watts and Gibbs), 96

Colorado butterfly plant

Rosette recruitment of a rare endemic forb (*Gaura neomexicana* subsp. *coloradensis*) with canopy removal of associated species (Munk et al), 122

Connecticut

Salt marsh restoration in Connecticut: 20 years of science and management (Warren et al), 497

Connectivity

Importance of backyard habitat in a comprehensive biodiversity conservation strategy: a connectivity analysis of urban green spaces (Rudd et al), 368

Cornus sericea

Winter burning and the reduction of *Cornus sericea* in sedge meadows in southern Wisconsin (Middleton), 723

Crustaceans

Early responses of fishes and crustaceans to restoration of a tidally restricted New England salt marsh (Raposa), 665

Quantifying vegetation and nekton response to tidal restoration of a New England salt marsh (Roman et al), 450

Deer browsing

Development of tree regeneration in fern-dominated forest understories after reduction of deer browsing (de la Cretaz and Kelty), 416

Demographics

Demographic analysis of a disjunct population of *Froelichia floridana* in the mid-Ohio River Valley (McCauley and Ungar), 348

Dennstaedtia punctilobula

Development of tree regeneration in fern-dominated forest understories after reduction of deer browsing (de la Cretaz and Kelty), 416

Dikes/levees

Contrasting functional performance of juvenile salmon habitat in recovering wetlands of the Salmon River estuary, Oregon, U.S.A. (Gray et al), 514

Drainage and elevation as factors in the restoration of salt marsh in Britain (Crooks et al), 591

Estuarine and tidal wetland restoration in the United Kingdom: policy versus practice (Pethick), 431

Floristic development patterns in a restored Elk River estuarine marsh, Grays Harbor, Washington (Thom et al), 487

Hydraulic geometry: a geomorphic design tool for tidal marsh channel evolution in wetland restoration projects (Williams et al), 577

Modeling habitat change in salt marshes after tidal restoration (Boumans et al), 543

A monitoring protocol to assess tidal restoration of salt marshes on local and regional scales (Neckles et al), 556

Physical and functional response to experimental marsh surface elevation manipulation in Coos Bay's South Slough (Cornu and Sadro), 474

Physical evolution of restored breached levee salt marshes in the San Francisco Bay estuary (Williams and Orr), 527

Quantifying vegetation and nekton response to tidal restoration

- of a New England salt marsh (Roman et al), 450
- Restoration of freshwater intertidal habitat functions at Spencer Island, Everett, Washington (Tanner et al), 564
- Restoration of the Sieperda tidal marsh in the Scheldt estuary, the Netherlands (Eertman et al), 438
- Salt marsh restoration in Connecticut: 20 years of science and management (Warren et al), 497
- Using functional trajectories to track constructed salt marsh development in the Great Bay Estuary, Maine/New Hampshire, U.S.A. (Morgan and Short), 461

Ectomycorrhizae

In vitro selection of boreal ectomycorrhizal fungi for use in reclamation of saline-alkaline habitats (Kernaghan et al), 43

Elk River

Floristic development patterns in a restored Elk River estuarine marsh, Grays Harbor, Washington (Thom et al), 487

Estuary

- Contrasting functional performance of juvenile salmon habitat in recovering wetlands of the Salmon River estuary, Oregon, U.S.A. (Gray et al), 514
- Estuarine and tidal wetland restoration in the United Kingdom: policy versus practice (Pethick), 431
- Floristic development patterns in a restored Elk River estuarine marsh, Grays Harbor, Washington (Thom et al), 487
- Physical and functional response to experimental marsh surface elevation manipulation in Coos Bay's South Slough (Cornu and Sadro), 474
- Physical evolution of restored breached levee salt marshes in the San Francisco Bay estuary (Williams and Orr), 527
- Restoration of the Sieperda tidal marsh in the Scheldt estuary, the Netherlands (Eertman et al), 438

Using functional trajectories to track constructed salt marsh development in the Great Bay Estuary, Maine/New Hampshire, U.S.A. (Morgan and Short), 461

Eucalyptus camaldulensis

Current loads of coarse woody debris on southeastern Australian floodplains: evaluation of change and implications for restoration (MacNally et al), 627

Everglades

Constraints of seed bank species composition and water depth for restoring vegetation in the Forida Everglades, U.S.A. (Smith et al), 138

Exotic plants

- Exotic plant species as problems and solutions in ecological restoration: a synthesis (D'Antonio and Meyerson), 703
- Restoration of a native shrubland impacted by exotic grasses, frequent fire, and nitrogen deposition in southern California (Cione et al), 376

Fauna

Does facilitation of faunal recruitment benefit ecosystem restoration? an experimental study of invertebrate assemblages in wetland mesocosms (Brady et al), 617

Fond

- Factors affecting seed germination and seedling establishment of fen-meadow species (Isselstein et al), 173
- Rehabilitation of acidified floating fens by addition of buffered surface water (Bootsma et al), 112

Ferns

Development of tree regeneration in fern-dominated forest understories after reduction of deer browsing (de la Cretaz and Kelty), 416

Fertilizers

Effects of initial site treatments on early growth and three-year survival of Idaho fescue (Ewing), 282 Responses of Jeffrey pine on a surface mine site to fertilizer and lime (Walker), 204

Fescue

Effects of initial site treatments on early growth and three-year survival of Idaho fescue (Ewing), 282

Festuca arundinacea

Prescribed fire and herbicide effects on soil processes during barrens restoration (Rhoades et al), 656

Fire

- Burning and grazing management in a California grassland: effect on bunchgrass seed viability (Dyer), 107
- Burning influences on wiregrass (*Aristida beyrichiana*) restoration plantings: natural seedling recruitment and survival (Mulligan and Kirkman), 334
- Effects of prescribed fire on shinnery oak (*Quercus havardii*) plant communities in western Oklahoma (Boyd and Bidwell), 324
- Fire season and dominance in an Illinois tallgrass prairie restoration (Copeland et al), 315
- Prescribed fire and herbicide effects on soil processes during barrens restoration (Rhoades et al), 656
- Restoration of a native shrubland impacted by exotic grasses, frequent fire, and nitrogen deposition in southern California (Cione et al), 376
- Season of burn influences fire behavior and fuel consumption in restored shortleaf pine[n]grassland communities (Sparks et al), 714
- Winter burning and the reduction of *Cornus sericea* in sedge meadows in southern Wisconsin (Middleton), 723

Fish

Contrasting functional performance of juvenile salmon habitat in recovering wetlands of the Salmon River estuary, Oregon, U.S.A. (Gray et al), 514

Early responses of fishes and crustaceans to restoration of a tidally restricted New England salt marsh (Raposa), 665

Quantifying vegetation and nekton response to tidal restoration of a New England salt marsh (Roman et al), 450

Restoration of freshwater intertidal habitat functions at Spencer Island, Everett, Washington (Tanner et al), 564

Floodplains

Current loads of coarse woody debris on southeastern Australian floodplains: evaluation of change and implications for restoration (MacNally et al), 627

Forest development, wood jams, and restoration of floodplain rivers in the Puget Lowland, Washington (Collins and Montgomery), 237

Florida

Constraints of seed bank species composition and water depth for restoring vegetation in the Forida Everglades, U.S.A. (Smith et al), 138

Forbs

Rosette recruitment of a rare endemic forb (*Gaura neomexicana* subsp. *coloradensis*) with canopy removal of associated species (Munk et al), 122

Forests

An analysis of forest restoration 120 years after reforestation on badlands in the southwestern Alps (Vallauri et al), 16

Avian response to bottomland hardwood reforestation: the first 10 years (Twedt et al), 645

Development of tree regeneration in fern-dominated forest understories after reduction of deer browsing (de la Cretaz and Kelty), 416

Does weeding promote regeneration of an indigenous tree community in felled pine plantations in Uganda? (Chapman et al), 408

Forest development, wood jams, and restoration of floodplain

rivers in the Puget Lowland, Washington (Collins and Montgomery), 237

Forest restoration treatment effects on the nesting success of Western Bluebirds (Sialia mexicana) (Germaine and Germaine), 362

Rehabilitation of degraded areas of central Amazonia using direct sowing of forest tree seeds (Camargo et al), 636

Responses of Jeffrey pine on a surface mine site to fertilizer and lime (Walker), 204

Riparian forest restoration: increasing success by reducing plant competition and herbivory (Sweeney et al), 392

Season of burn influences fire behavior and fuel consumption in restored shortleaf pine[n]grassland communities (Sparks et al), 714

Smoke, mulch, and seed broadcasting effects on woodland restoration in Western Australia (Rokich et al), 185

Use of shrubs as nurse plants: a new technique for reforestation in Mediterranean mountains (Castro et al), 297

Froelichia floridana

Demographic analysis of a disjunct population of *Froelichia floridana* in the mid-Ohio River Valley (McCauley and Ungar), 348

Fungi

In vitro selection of boreal ectomycorrhizal fungi for use in reclamation of saline-alkaline habitats (Kernaghan et al), 43

Gaura neomexicana

Rosette recruitment of a rare endemic forb (*Gaura neomexicana* subsp. *coloradensis*) with canopy removal of associated species (Munk et al), 122

Genetics

A comparative assessment of genetic diversity among differently-aged populations of *Spartina alterniflora* on restored versus natural wetlands (Travis et al), 37

Germany

Restoration of a landfill site in Berlin, Germany by spontaneous and directed succession (Rebele and Lehmann), 340

Grasses

Aristida beyrichiana (wiregrass) establishment and recruitment: implications for restoration (Mulligan et al), 68

Burning and grazing management in a California grassland: effect on bunchgrass seed viability (Dyer), 107

Burning influences on wiregrass (*Aristida beyrichiana*) restoration plantings: natural seedling recruitment and survival (Mulligan and Kirkman), 334

A comparative assessment of genetic diversity among differentlyaged populations of *Spartina alterniflora* on restored versus natural wetlands (Travis et al), 37

Effects of initial site treatments on early growth and three-year survival of Idaho fescue (Ewing), 282

Fire season and dominance in an Illinois tallgrass prairie restoration (Copeland et al), 315

Restoration of a native shrubland impacted by exotic grasses, frequent fire, and nitrogen deposition in southern California (Cione et al), 376

Seedling survival from locally and commercially obtained seeds on two semiarid sites (Humphrey and Schupp), 88

Wyoming big sagebrush density: effects of seeding rates and grass competition (Williams et al), 385

Grasslands

Burning and grazing management in a California grassland: effect on bunchgrass seed viability (Dyer), 107

Mycorrhizal inoculation of big sacaton: implications for grassland restoration of abandoned agricultural fields (Richter and Stutz), 607

Patterns of species richness and composition in re-created grassland (Sluis), 677 Season of burn influences fire behavior and fuel consumption in restored shortleaf pine[n]grassland communities (Sparks et al), 714

Grazing

Burning and grazing management in a California grassland: effect on bunchgrass seed viability (Dyer), 107

Effects of grazing on restoration of southern mixed prairie soils (Fuhlendorf et al), 401

Winter burning and the reduction of *Cornus sericea* in sedge meadows in southern Wisconsin (Middleton), 723

Herbicides

Prescribed fire and herbicide effects on soil processes during barrens restoration (Rhoades et al), 656

Restoring structure in late-successional sagebrush communities by thinning with tebuthiuron (Olson and Whitson), 146

Hydraulic geometry

Hydraulic geometry: a geomorphic design tool for tidal marsh channel evolution in wetland restoration projects (Williams et al), 577

Idaho

Effects of initial site treatments on early growth and three-year survival of Idaho fescue (Ewing), 282

Illinois

Fire season and dominance in an Illinois tallgrass prairie restoration (Copeland et al), 315

Insects

Does facilitation of faunal recruitment benefit ecosystem restoration? an experimental study of invertebrate assemblages in wetland mesocosms (Brady et al), 617

Revegetation and its effect on the ground-dwelling beetle fauna of Matiu-Somes Island, New Zealand (Watts and Gibbs), 96

Invertebrates

Does facilitation of faunal recruitment benefit ecosystem restoration? an experimental study of invertebrate assemblages in wetland mesocosms (Brady et al), 617

Iron

Decomposition of Sarcocornia quinqueflora on an iron-smelting slag substrate (Dick et al), 11

Jack pine

Effects of jack pine plantation management on barrens flora and potential Kirtland's warbler nest habitat (Houseman and Anderson), 27

Jeffrey pine

Responses of Jeffrey pine on a surface mine site to fertilizer and lime (Walker), 204

Kirtland's warbler

Effects of jack pine plantation management on barrens flora and potential Kirtland's warbler nest habitat (Houseman and Anderson), 27

Korea

Secondary succession and natural habitat restoration in abandoned rice fields of central Korea (Lee et al), 306

Lakes

Soil nitrogen pools associated with revegetation of disturbed sites in the Lake Tahoe area (Claassen and Hogan), 195

Landfills

Mounding as a technique for restoration of prairie on a capped landfill in the Puget Sound low-lands (Ewing), 289

Restoration of a landfill site in Berlin, Germany by spontaneous and directed succession (Rebele and Lehmann), 340

Levees; see Dikes/levees

Lime

Responses of Jeffrey pine on a surface mine site to fertilizer and lime (Walker), 204

Limestone

Acid stream water remediation using limestone sand on Bear Run in southwestern Pennsylvania (LeFevre and Sharpe), 223

Longleaf pine

Aristida beyrichiana (wiregrass) establishment and recruitment: implications for restoration (Mulligan et al), 68

Maine

Using functional trajectories to track constructed salt marsh development in the Great Bay Estuary, Maine/New Hampshire, U.S.A. (Morgan and Short), 461

Marshes; see also Wetlands

Drainage and elevation as factors in the restoration of salt marsh in Britain (Crooks et al), 591

Early responses of fishes and crustaceans to restoration of a tidally restricted New England salt marsh (Raposa), 665

Fifteen years of vegetation and soil development after brackishwater marsh creation (Craft et al), 248

Floristic development patterns in a restored Elk River estuarine marsh, Grays Harbor, Washington (Thom et al), 487

Hydraulic geometry: a geomorphic design tool for tidal marsh channel evolution in wetland restoration projects (Williams et al). 577

Modeling habitat change in salt marshes after tidal restoration (Boumans et al), 543

A monitoring protocol to assess tidal restoration of salt marshes on local and regional scales (Neckles et al), 556

Physical and functional response to experimental marsh surface elevation manipulation in Coos Bay's South Slough (Cornu and Sadro), 474

Physical evolution of restored breached levee salt marshes in the San Francisco Bay estuary (Williams and Orr), 527

Quantifying vegetation and nekton response to tidal restoration of a New England salt marsh (Roman et al), 450

Restoration of the Sieperda tidal marsh in the Scheldt estuary, the Netherlands (Eertman et al), 438

Salt marsh restoration in Connecticut: 20 years of science and management (Warren et al), 497

Using functional trajectories to track constructed salt marsh development in the Great Bay Estuary, Maine/New Hampshire, U.S.A. (Morgan and Short), 461

Meadows

Factors affecting seed germination and seedling establishment of fen-meadow species (Isselstein et al), 173

Winter burning and the reduction of *Cornus sericea* in sedge meadows in southern Wisconsin (Middleton), 723

Mediterranean area

Riparian plant restoration in summer-dry riverbeds of southeastern Spain (Salinas and Guirado), 695

Use of shrubs as nurse plants: a new technique for reforestation in Mediterranean mountains (Castro et al), 297

Microbes

Microbial community structure and carbon-utilization diversity in a mine tailings revegetation study (Moynahan et al), 77

Mining

Decomposition of Sarcocornia quinqueflora on an iron-smelting slag substrate (Dick et al), 11

Microbial community structure and carbon-utilization diversity in a mine tailings revegetation study (Moynahan et al), 77

Responses of Jeffrey pine on a surface mine site to fertilizer and lime (Walker), 204

Topsoil stockpiling versus exposure to traffic: a case study on in situ uranium wellfields (Stahl et al), 129

Wyoming big sagebrush density: effects of seeding rates and grass competition (Williams et al), 385

Mississippi River

Nitrogen farming: harvesting a different crop (Hey), 1

Mounding

Mounding as a technique for restoration of prairie on a capped landfill in the Puget Sound low-lands (Ewing), 289

Mountains

Use of shrubs as nurse plants: a new technique for reforestation in Mediterranean mountains (Castro et al), 297

Mowing

Restoration of a landfill site in Berlin, Germany by spontaneous and directed succession (Rebele and Lehmann), 340

Mycorrhizae

Mycorrhizal inoculation of big sacaton: implications for grassland restoration of abandoned agricultural fields (Richter and Stutz), 607

In vitro selection of boreal ectomycorrhizal fungi for use in reclamation of saline-alkaline habitats (Kernaghan et al), 43

Nekton

Early responses of fishes and crustaceans to restoration of a tidally restricted New England salt marsh (Raposa), 665

Quantifying vegetation and nekton response to tidal restoration of a New England salt marsh (Roman et al), 450

Netherlands

Rehabilitation of acidified floating fens by addition of buffered surface water (Bootsma et al), 112

Restoration of the Sieperda tidal marsh in the Scheldt estuary, the Netherlands (Eertman et al), 438

New Hampshire

Using functional trajectories to track constructed salt marsh development in the Great Bay Estuary, Maine/New Hampshire, U.S.A. (Morgan and Short), 461

New Zealand

Revegetation and its effect on the ground-dwelling beetle fauna of Matiu-Somes Island, New Zealand (Watts and Gibbs), 96

Nitrogen

Effects of grazing on restoration of southern mixed prairie soils (Fuhlendorf et al), 401

Fifteen years of vegetation and soil development after brackishwater marsh creation (Craft et al), 248 Nitrogen farming: harvesting a different crop (Hey), 1

Prescribed fire and herbicide effects on soil processes during barrens restoration (Rhoades et al), 656

Restoration of a native shrubland impacted by exotic grasses, frequent fire, and nitrogen deposition in southern California (Cione et al), 376

Soil nitrogen pools associated with revegetation of disturbed sites in the Lake Tahoe area (Claassen and Hogan), 195

Ohio River

Demographic analysis of a disjunct population of *Froelichia floridana* in the mid-Ohio River Valley (McCauley and Ungar), 348

Oklahoma

Effects of prescribed fire on shinnery oak (*Quercus havardii*) plant communities in western Oklahoma (Boyd and Bidwell), 324

Oregon

Contrasting functional performance of juvenile salmon habitat in recovering wetlands of the Salmon River estuary, Oregon, U.S.A. (Gray et al), 514

Physical and functional response to experimental marsh surface elevation manipulation in Coos Bay's South Slough (Cornu and Sadro), 474

Restoration of highly impacted subalpine campsites in the Eagle Cap Wilderness, Oregon (Zabinski et al), 275

Peatlands

Use of shallow basins to restore cutover peatlands: hydrology (Price et al), 259

Pennsylvania

Acid stream water remediation using limestone sand on Bear Run in southwestern Pennsylvania (LeFevre and Sharpe), 223

Pine

Does weeding promote regeneration of an indigenous tree community in felled pine plantations in Uganda? (Chapman et al), 408

Pinus nigra

An analysis of forest restoration 120 years after reforestation on badlands in the southwestern Alps (Vallauri et al), 16

Pinus palustris

Aristida beyrichiana (wiregrass) establishment and recruitment: implications for restoration (Mulligan et al), 68

Ponderosa pine

Forest restoration treatment effects on the nesting success of Western Bluebirds (*Sialia mexicana*) (Germaine and Germaine), 362

Prairies

Effects of grazing on restoration of southern mixed prairie soils (Fuhlendorf et al), 401

Effects of initial site treatments on early growth and three-year survival of Idaho fescue (Ewing), 282

Fire season and dominance in an Illinois tallgrass prairie restoration (Copeland et al), 315

Mounding as a technique for restoration of prairie on a capped landfill in the Puget Sound low-lands (Ewing), 289

Patterns of species richness and composition in re-created grassland (Sluis), 677

Ouercus havardii

Effects of prescribed fire on shinnery oak (*Quercus havardii*) plant communities in western Oklahoma (Boyd and Bidwell), 324

Recreational activities

Restoration of highly impacted subalpine campsites in the Eagle Cap Wilderness, Oregon (Zabinski et al), 275

Rhode Island

Early responses of fishes and crustaceans to restoration of a tidally restricted New England salt marsh (Raposa), 665

Quantifying vegetation and nekton response to tidal restoration of a New England salt marsh (Roman et al), 450

Rice fields; see Agricultural fields

Riparian plants

Riparian forest restoration: increasing success by reducing plant competition and herbivory (Sweeney et al), 392

Riparian plant restoration in summer-dry riverbeds of southeastern Spain (Salinas and Guirado), 695

Rivers

Demographic analysis of a disjunct population of *Froelichia floridana* in the mid-Ohio River Valley (McCauley and Ungar), 348

Floristic development patterns in a restored Elk River estuarine marsh, Grays Harbor, Washington (Thom et al), 487

Forest development, wood jams, and restoration of floodplain rivers in the Puget Lowland, Washington (Collins and Montgomery), 237

Nitrogen farming: harvesting a different crop (Hey), 1

Riparian plant restoration in summer-dry riverbeds of southeastern Spain (Salinas and Guirado), 695

Sagebrush

Restoring structure in late-successional sagebrush communities by thinning with tebuthiuron (Olson and Whitson), 146

Salix nigra

Effects of pre-planting soaking on growth and survival of black willow cuttings (Schaff et al), 267

Salmon River

Contrasting functional performance of juvenile salmon habitat in recovering wetlands of the Salmon River estuary, Oregon, U.S.A. (Gray et al), 514

Salt

Decomposition of Sarcocornia quinqueflora on an iron-smelting slag substrate (Dick et al), 11

In vitro selection of boreal ectomycorrhizal fungi for use in reclamation of saline-alkaline habitats (Kernaghan et al), 43

Salt marsh

Drainage and elevation as factors in the restoration of salt marsh in Britain (Crooks et al), 591 Early responses of fishes and crustaceans to restoration of a tidally restricted New England salt marsh (Raposa), 665

Floristic development patterns in a restored Elk River estuarine marsh, Grays Harbor, Washington (Thom et al), 487

Hydraulic geometry: a geomorphic design tool for tidal marsh channel evolution in wetland restoration projects (Williams et al), 577

Modeling habitat change in salt marshes after tidal restoration (Boumans et al), 543

A monitoring protocol to assess tidal restoration of salt marshes on local and regional scales (Neckles et al), 556

Physical evolution of restored breached levee salt marshes in the San Francisco Bay estuary (Williams and Orr), 527

Quantifying vegetation and nekton response to tidal restoration of a New England salt marsh (Roman et al), 450

Salt marsh restoration in Connecticut: 20 years of science and management (Warren et al), 497

Using functional trajectories to track constructed salt marsh development in the Great Bay Estuary, Maine/New Hampshire, U.S.A. (Morgan and Short), 461

Sarcocornia quinqueflora

Decomposition of *Sarcocornia quin-queflora* on an iron-smelting slag substrate (Dick et al), 11

Sedge

Winter burning and the reduction of *Cornus sericea* in sedge meadows in southern Wisconsin (Middleton), 723

Seedlings

Burning influences on wiregrass (*Aristida beyrichiana*) restoration plantings: natural seedling recruitment and survival (Mulligan and Kirkman), 334

Factors affecting seed germination and seedling establishment of fen-meadow species (Isselstein et al), 173 Riparian forest restoration: increasing success by reducing plant competition and herbivory (Sweeney et al), 392

Seedling survival from locally and commercially obtained seeds on two semiarid sites (Humphrey and Schupp), 88

Seeds

Burning and grazing management in a California grassland: effect on bunchgrass seed viability (Dyer), 107

Constraints of seed bank species composition and water depth for restoring vegetation in the Forida Everglades, U.S.A. (Smith et al), 138

Exotic plant species as problems and solutions in ecological restoration: a synthesis (D'Antonio and Meyerson), 703

Factors affecting seed germination and seedling establishment of fen-meadow species (Isselstein et al), 173

Rehabilitation of degraded areas of central Amazonia using direct sowing of forest tree seeds (Camargo et al), 636

The relative importance of seeding method, soil ripping, and soil variables on seeding success (Montalvo et al), 52

Secondary succession and natural habitat restoration in abandoned rice fields of central Korea (Lee et al), 306

Seedling survival from locally and commercially obtained seeds on two semiarid sites (Humphrey and Schupp), 88

Smoke, mulch, and seed broadcasting effects on woodland restoration in Western Australia (Rokich et al), 185

Wyoming big sagebrush density: effects of seeding rates and grass competition (Williams et al), 385

Shinnery oak

Effects of prescribed fire on shinnery oak (*Quercus havardii*) plant communities in western Oklahoma (Boyd and Bidwell), 324

Shortleaf pine

Season of burn influences fire behavior and fuel consumption in restored shortleaf pine[n]grassland communities (Sparks et al), 714

Shrubs

Restoration of a native shrubland impacted by exotic grasses, frequent fire, and nitrogen deposition in southern California (Cione et al), 376

Use of shrubs as nurse plants: a new technique for reforestation in Mediterranean mountains (Castro et al), 297

Winter burning and the reduction of *Cornus sericea* in sedge meadows in southern Wisconsin (Middleton), 723

Wyoming big sagebrush density: effects of seeding rates and grass competition (Williams et al), 385

Sloughs

Application of landscape allometry to restoration of tidal channels (Hood), 213

Physical and functional response to experimental marsh surface elevation manipulation in Coos Bay's South Slough (Cornu and Sadro), 474

Smoke

Smoke, mulch, and seed broadcasting effects on woodland restoration in Western Australia (Rokich et al), 185

Smooth cord grass

A comparative assessment of genetic diversity among differentlyaged populations of *Spartina alterniflora* on restored versus natural wetlands (Travis et al), 37

Soil

Effects of grazing on restoration of southern mixed prairie soils (Fuhlendorf et al), 401

Fifteen years of vegetation and soil development after brackishwater marsh creation (Craft et al), 248

Microbial community structure and carbon-utilization diversity in a mine tailings revegetation study (Moynahan et al), 77 Prescribed fire and herbicide effects on soil processes during barrens restoration (Rhoades et al), 656

The relative importance of seeding method, soil ripping, and soil variables on seeding success (Montalvo et al), 52

Restoration of highly impacted subalpine campsites in the Eagle Cap Wilderness, Oregon (Zabinski et al), 275

Soil nitrogen pools associated with revegetation of disturbed sites in the Lake Tahoe area (Claassen and Hogan), 195

Topsoil stockpiling versus exposure to traffic: a case study on in situ uranium wellfields (Stahl et al), 129

Spain

Riparian plant restoration in summer-dry riverbeds of southeastern Spain (Salinas and Guirado), 695

Spartina

Fifteen years of vegetation and soil development after brackishwater marsh creation (Craft et al), 248

Spartina alterniflora

A comparative assessment of genetic diversity among differently-aged populations of *Spartina alterniflora* on restored versus natural wetlands (Travis et al), 37

Sphagnum

Use of shallow basins to restore cutover peatlands: hydrology (Price et al), 259

Sporobolus wrightii

Mycorrhizal inoculation of big sacaton: implications for grassland restoration of abandoned agricultural fields (Richter and Stutz), 607

Streams

Acid stream water remediation using limestone sand on Bear Run in southwestern Pennsylvania (LeFevre and Sharpe), 223

Assessing stream ecosystem rehabilitation: limitations of community structure data (Brooks et al), 156

An assessment of a small urban stream restoration project in northern California (Purcell et al), 685

Tallgrasses

Fire season and dominance in an Illinois tallgrass prairie restoration (Copeland et al), 315

Patterns of species richness and composition in re-created grassland (Sluis), 677

Tebuthiuron

Restoring structure in late-successional sagebrush communities by thinning with tebuthiuron (Olson and Whitson), 146

Tidal channels

Application of landscape allometry to restoration of tidal channels (Hood), 213

Tidal wetlands; see Wetlands Topsoil; see Soil

Trees

An analysis of forest restoration 120 years after reforestation on badlands in the southwestern Alps (Vallauri et al), 16

Aristida beyrichiana (wiregrass) establishment and recruitment: implications for restoration (Mulligan et al), 68

Avian response to bottomland hardwood reforestation: the first 10 years (Twedt et al), 645

Current loads of coarse woody debris on southeastern Australian floodplains: evaluation of change and implications for restoration (MacNally et al), 627

Development of tree regeneration in fern-dominated forest understories after reduction of deer browsing (de la Cretaz and Kelty), 416

Does weeding promote regeneration of an indigenous tree community in felled pine plantations in Uganda? (Chapman et al), 408

Effects of jack pine plantation management on barrens flora and potential Kirtland's warbler nest habitat (Houseman and Anderson), 27 Effects of pre-planting soaking on growth and survival of black willow cuttings (Schaff et al), 267

Effects of prescribed fire on shinnery oak (*Quercus havardii*) plant communities in western Oklahoma (Boyd and Bidwell), 324

Forest development, wood jams, and restoration of floodplain rivers in the Puget Lowland, Washington (Collins and Montgomery), 237

Rehabilitation of degraded areas of central Amazonia using direct sowing of forest tree seeds (Camargo et al), 636

Responses of Jeffrey pine on a surface mine site to fertilizer and lime (Walker), 204

Riparian forest restoration: increasing success by reducing plant competition and herbivory (Sweeney et al), 392

Season of burn influences fire behavior and fuel consumption in restored shortleaf pine[n]grassland communities (Sparks et al), 714

Smoke, mulch, and seed broadcasting effects on woodland restoration in Western Australia (Rokich et al), 185

Typha domingensis

Constraints of seed bank species composition and water depth for restoring vegetation in the Forida Everglades, U.S.A. (Smith et al), 138

Uganda

Does weeding promote regeneration of an indigenous tree community in felled pine plantations in Uganda? (Chapman et al), 408

United Kingdom

Drainage and elevation as factors in the restoration of salt marsh in Britain (Crooks et al), 591

Estuarine and tidal wetland restoration in the United Kingdom: policy versus practice (Pethick), 431

Uranium

Topsoil stockpiling versus exposure to traffic: a case study on in

situ uranium wellfields (Stahl et al), 129

Urban areas

An assessment of a small urban stream restoration project in northern California (Purcell et al), 685

Importance of backyard habitat in a comprehensive biodiversity conservation strategy: a connectivity analysis of urban green spaces (Rudd et al), 368

Vaccinium angustifolium

Effects of jack pine plantation management on barrens flora and potential Kirtland's warbler nest habitat (Houseman and Anderson), 27

Washington

Floristic development patterns in a restored Elk River estuarine marsh, Grays Harbor, Washington (Thom et al), 487

Forest development, wood jams, and restoration of floodplain rivers in the Puget Lowland, Washington (Collins and Montgomery), 237

Mounding as a technique for restoration of prairie on a capped landfill in the Puget Sound lowlands (Ewing), 289

Restoration of freshwater intertidal habitat functions at Spencer Island, Everett, Washington (Tanner et al), 564

Water; see also Lakes; Marshes; Rivers; Streams; Wetlands

Acid stream water remediation using limestone sand on Bear Run in southwestern Pennsylvania (LeFevre and Sharpe), 223

Assessing stream ecosystem rehabilitation: limitations of community structure data (Brooks et al), 156

Current loads of coarse woody debris on southeastern Australian floodplains: evaluation of change and implications for restoration (MacNally et al), 627

Effects of pre-planting soaking on growth and survival of black willow cuttings (Schaff et al), 267

- Fifteen years of vegetation and soil development after brackishwater marsh creation (Craft et al), 248
- Nitrogen farming: harvesting a different crop (Hey), 1
- Rehabilitation of acidified floating fens by addition of buffered surface water (Bootsma et al), 112
- Use of shallow basins to restore cutover peatlands: hydrology (Price et al), 259

Weeding

Does weeding promote regeneration of an indigenous tree community in felled pine plantations in Uganda? (Chapman et al), 408

Western Bluebirds

Forest restoration treatment effects on the nesting success of Western Bluebirds (*Sialia mexicana*) (Germaine and Germaine), 362

Wetlands; see also Marshes

- A comparative assessment of genetic diversity among differently-aged populations of *Spartina alterniflora* on restored versus natural wetlands (Travis et al), 37
- Constraints of seed bank species composition and water depth

- for restoring vegetation in the Forida Everglades, U.S.A. (Smith et al), 138
- Contrasting functional performance of juvenile salmon habitat in recovering wetlands of the Salmon River estuary, Oregon, U.S.A. (Gray et al), 514
- Decomposition of *Sarcocornia* quinqueflora on an iron-smelting slag substrate (Dick et al), 11
- Does facilitation of faunal recruitment benefit ecosystem restoration? an experimental study of invertebrate assemblages in wetland mesocosms (Brady et al), 617
- Estuarine and tidal wetland restoration in the United Kingdom: policy versus practice (Pethick), 431
- Hydraulic geometry: a geomorphic design tool for tidal marsh channel evolution in wetland restoration projects (Williams et al), 577
- Nitrogen farming: harvesting a different crop (Hey), 1
- Physical and functional response to experimental marsh surface elevation manipulation in Coos Bay's South Slough (Cornu and Sadro), 474

- Restoration of freshwater intertidal habitat functions at Spencer Island, Everett, Washington (Tanner et al), 564
- Restoration of the Sieperda tidal marsh in the Scheldt estuary, the Netherlands (Eertman et al), 438
- Using functional trajectories to track constructed salt marsh development in the Great Bay Estuary, Maine/New Hampshire, U.S.A. (Morgan and Short), 461

Wiregrass

- Aristida beyrichiana (wiregrass) establishment and recruitment: implications for restoration (Mulligan et al), 68
- Burning influences on wiregrass (*Aristida beyrichiana*) restoration plantings: natural seedling recruitment and survival (Mulligan and Kirkman), 334

Wisconsin

Winter burning and the reduction of *Cornus sericea* in sedge meadows in southern Wisconsin (Middleton), 723

Wyoming

Wyoming big sagebrush density: effects of seeding rates and grass competition (Williams et al), 385

